

# Fairfield County Youth Behavior Survey 2018 Executive Summary

*Preventing teen drug and alcohol use takes a full community effort. The Fairfield County Youth Behavior Survey is one of the key elements used by local community-based organizations and partners in identifying underlying root causes of youth substance abuse and a tool to create systems-level change. The survey is one source of information that can assist in setting the stage for that change.*

*The results of the biennial survey help to plan focused prevention and intervention, target school-based programs, evaluate progress toward reducing youth alcohol and substance abuse, and identify trends and emerging issues. In addition, the access to current data assists in obtaining funding to support needed services.*

*The 2018 the Fairfield County biennial Youth Behavior Survey was implemented in all public schools in May 2018. A total of 2,106 students in grades 10 and 12 from nine (9) schools participated in the 2018 survey. \* The results of the surveys provide a benchmark for alcohol, tobacco and other drug (ATOD) use as well as an indication of negative and problematic behavior among our youth. These behaviors are self-reported. Concurrently, the survey also assesses the risk factors that are related to these behaviors and protective factors that guard against them.*

## **Key Findings of 2018 Youth Behavior Survey**

Results of the study suggest that after a period of declining use reported in 2008 and a slight tick upward in 2010 that began to reverse itself in 2012, frequent drug use among Fairfield County twelfth graders is fluctuating.

The study shows that

- Frequent alcohol use (30 day) among twelfth graders has increased from 19.1% in 2016 to 21.8% in 2018.
- Frequent marijuana use increased from 14.6% in 2016 to 18.2% in 2018.
- Frequent use of cigarettes has decreased to an all-time low of 7.8%.
- The 2004 Fairfield County data of frequent illegal use of prescription drugs was at a high of 9.3%. This data was Fairfield County's red flag to the epidemic of prescription drug use among our youth. In 2018 frequent prescription drug use was at 0.8%

<b>Frequent Use (30-day use)</b>	<b>2004</b>	<b>2006</b>	<b>2008</b>	<b>2010</b>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>
<b>Seniors</b>								
<b>Alcohol</b>	37.9	34.9	31.2	34.7	21.1	19.6	19.1	21.8
<b>Cigarettes (Tobacco)</b>	24	23.0	23.5	22.5	14.1	9.9	8.0	7.8
<b>Marijuana</b>	18.8	14.4	15.8	20.3	16.4	14.2	14.6	18.2
<b>Other People's Prescriptions</b>	9.3	8.5	7.2	5.7	2.4	.4	1.0	0.8

### **Age of Onset**

The 2018 data reveal a fluctuation in findings in the area of *age of onset*. The age at which Fairfield County youth are initiating the use of marijuana and prescription drugs continue to increase meaning the age of use is older. The age of onset decreased regarding alcohol and cigarettes. This trend is important to monitor because the longer use is delayed, the less likely the individual is to become harmfully involved with substances as they grow older. Youth who start drinking before age 15 are five times more likely to develop alcohol dependence or abuse later in life than those who begin drinking at or after age 21 years.<sup>1</sup>

<b>Average age of first use</b>	<b>2004</b>	<b>2006</b>	<b>2008</b>	<b>2010</b>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>
<b>Seniors</b>								
<b>Alcohol</b>	14.31	14.41	14.58	14.05	14.94	14.96	15.13	15.01
<b>Cigarettes</b>	13.78	13.94	14.34	14.01	14.57	14.81	15.16	14.67
<b>Marijuana</b>	14.63	14.60	14.89	14.65	14.99	15.15	15.25	15.31
<b>Illegal Prescription (Rx) Drugs</b>	14.85	14.59	15.60	14.84	15.08	15.54	15.35	15.73

### ***Ease of Access***

The 2018 Fairfield County Youth Behavior Survey disclosed that it is easier to access to alcohol, cigarettes and marijuana as compared to 2016 survey results. It is harder to access prescription drugs and heroin compared to 2016.

<b><i>Ease of Access</i></b>	<b>2004</b>	<b>2006</b>	<b>2008</b>	<b>2010</b>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>
<b><i>Very Easy and Somewhat Easy - % Seniors</i></b>								
<b><i>Alcohol</i></b>	<b>85</b>	<b>84.2</b>	<b>84.2</b>	<b>83.3</b>	<b>79.1</b>	<b>76.7</b>	<b>73.4</b>	<b>74.5</b>
<b><i>Cigarettes (Tobacco)</i></b>	<b>85.5</b>	<b>84.7</b>	<b>75.3</b>	<b>84.3</b>	<b>79.6</b>	<b>75.2</b>	<b>69.8</b>	<b>70.2</b>
<b><i>Marijuana</i></b>	<b>69</b>	<b>67.3</b>	<b>66.2</b>	<b>73.1</b>	<b>68.1</b>	<b>68.3</b>	<b>63.6</b>	<b>67.2</b>
<b><i>Illegal Prescription (Rx) Drugs</i></b>	<b>49</b>	<b>49</b>	<b>45.3</b>	<b>45.7</b>	<b>35.7</b>	<b>31.8</b>	<b>29.1</b>	<b>27.4</b>
<b><i>Heroin</i></b>	<b>15.6</b>	<b>16.2</b>	<b>15.9</b>	<b>30.4</b>	<b>30.3</b>	<b>25.5</b>	<b>22.6</b>	<b>19.7</b>

The issues of binge drinking and attendance at parties where parents have allowed alcohol continue to be monitored. Results of the 2018 survey indicated that 53.7% of seniors reported that they have been to a party where parents have allowed alcohol. In regard to binge drinking, of the high school seniors who report drinking, 41.6% reported that they had consumed 5 or more glasses of any alcoholic beverage within a few hours.

### **Risk and Protective Factors**

Just as there are both risk factors and protective factors associated with many human diseases, there are factors that can help protect youth from, or put them at risk for, drug use and other problem behaviors. A youth’s behavior is influenced by a complexity of experiences and influences. The 2018 Fairfield County Youth Behavior Survey measures a variety of protective and risk factors. Protective factors, also called assets, are conditions that buffer children and youth from exposure to risk either by reducing the impact of risks or changing the way that young people respond to risks. These are characteristics that are known to decrease the likelihood that a student will engage in problem behaviors.

## Behavioral Issues

In addition to alcohol, drug and tobacco use behavior, the 2018 Fairfield County Youth Behavior Survey also measures other problem behaviors. Sexual activity, suicidal thoughts, suicidal attempts, and self-mutilation rates all increased from 2016.

<b>Behavior - % Seniors</b>	<b>2004</b>	<b>2006</b>	<b>2008</b>	<b>2010</b>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>
<b>Engaging in sexual activity - Lifetime</b>	<b>71</b>	<b>69.7</b>	<b>71.3</b>	<b>72</b>	<b>68.1</b>	<b>65.2</b>	<b>65.5</b>	<b>68.6</b>
<b>Forced to engage in sexual activity - Lifetime</b>	<b>13</b>	<b>9</b>	<b>12</b>	<b>9.7</b>	<b>7</b>	<b>7.7</b>	<b>8.8</b>	<b>10.2</b>
<b>Suicidal thoughts in past month</b>	<b>12</b>	<b>11.3</b>	<b>10.4</b>	<b>9.5</b>	<b>8.2</b>	<b>8.6</b>	<b>11.2</b>	<b>14.2</b>
<b>Suicidal attempts - Lifetime</b>	<b>15</b>	<b>13.7</b>	<b>13</b>	<b>15</b>	<b>11</b>	<b>11.7</b>	<b>15.1</b>	<b>17.7</b>
<b>Self-mutilation - Lifetime</b>	<b>20</b>	<b>20.6</b>	<b>20.6</b>	<b>20.4</b>	<b>16.9</b>	<b>18.3</b>	<b>22.5</b>	<b>22.8</b>

In 2012, 2014, 2016 and 2018 the study analyzed the effect of protective factors on the use rates of youth, as well as other behavioral health issues. In both studies the positive impact of parents and adults in a youth's life were illustrated. Those children whose parents set clear rules, talk about the harmful effects of substances, and are involved in school have lower use rates than those children who do not. In addition, school and community activities such as involvement in school/community activities and school sports were illustrated as protective factors resulting in lower use rates.

### Key Points

- ☒ The perception of risk and peer attitude toward marijuana is concerning. Only 33.0% of Fairfield County seniors perceive marijuana as harmful compared to 86.1% who view prescription drugs as harmful. Similarly, 61.3% perceive binge drinking as harmful and 78.4% perceive cigarettes as harmful. Youth perceive it is riskier to binge drink, smoke cigarettes or take prescription drugs than to smoke pot.
- ☒ Continuing a trend from 2012, 2014, and 2016 the thirty-day use of marijuana surpasses the thirty-day use of cigarettes and is only 3.6% below the thirty-day use of alcohol.

## Progress

- ☒ Lifetime use of prescription drugs for seniors decreased to 4.4% and 30-Day use decreased to 0.8%.
- ☒ Ease of access for prescription drugs has decreased each year since 2010.
- ☒ The age of onset increased for marijuana and prescription drugs. For these substances' youth are beginning to use at a later age.
- ☒ Seniors perceive prescription drug use as a moderate/great risk.
- ☒ Protective strategies or assets make a difference in youth risky behaviors

## Concerns

- ☒ Underage drinking remains a strong concern.
- ☒ The use of marijuana and the perception of marijuana as a lower risk activity is troubling.
- ☒ Vaping has a higher lifetime use and 30-day use compared to cigarettes and marijuana use.
- ☒ Suicidal thoughts, suicidal attempts and self-mutilation have all increased since 2016.

*The 2018 Fairfield County Youth Behavior Survey illustrates that a collaborative approach to prevention works and is needed now more than ever. No one sector of the community can single-handedly address adolescent drug and alcohol use or problem behaviors. The reality is parents, schools, businesses, law enforcement, faith-based organizations, human services and other sectors working together can and do have a significant, long term impact in preventing adolescent substance abuse and related behaviors.*

- \*Data Cleaning: 2018 Original 2,244 surveys in original file. Eliminated 138 surveys containing missing, inconsistent and/or suspicious responses resulting in final analysis of 2,106 surveys
- The analysis of the 2018 survey was conducted by the Ohio University Voinovich Center in partnership with the Fairfield County ADAMH Board. The same statistical software program (SPSS), methodology, frequencies and crosstabs were utilized as in prior years.
- All materials related to the Fairfield County Youth Behavior Survey from 2004 through 2018 can be located and downloaded at the Fairfield County ADAMH website [www.fairfielsadamh.org](http://www.fairfielsadamh.org)

---

<sup>1</sup> Office of Applied Studies. The NSDUH Report: Alcohol Dependence or Abuse and Age at First Use. Rockville, MD: Substance Abuse and Mental Health Services Administration, October 2004. Available at <http://www.oas.samhsa.gov/2k4/ageDependence/ageDependence.htm>.